

PATIENT INFORMATION

Patient Name: _____ DOB: _____ Preferred Phone: _____
 SSN#: _____ Language: English Other _____
 Address: _____ Sex: Male Female Height: _____ Weight: _____ lbs kg
 City: _____ State: _____ Zip: _____ Known Allergies: _____

*** PLEASE FAX FRONT/BACK COPY OF PHARMACY BENEFIT CARD, MEDICAL INSURANCE CARD, NOTES, LABS & TESTS WITH THE PRESCRIPTION TO EXPEDITE PROCESSING ***

PRESCRIBER INFORMATION

Prescriber Name: _____ DEA#: _____ NPI#: _____ Tax ID#: _____
 Address: _____ Phone: _____ E-mail: _____
 City: _____ State: _____ Zip: _____ Key Contact: _____ Phone: _____ Fax: _____

STATUS UPDATE PREFERENCE: Phone Text Fax E-mail:

DIAGNOSIS/CLINICAL INFORMATION

STATINS: Tied & Filled (Duration) Not Tolerated Contraindication:
 Simvastatin ()
 Atorvastatin ()

Other therapies: Tied & Filled (Duration) Not Tolerated Contraindication:
 Zetia ()
 LDL Aphe resis ()

Allergies: _____

Date of Diagnosis: _____ Indicate One Secondary Diagnosis:
 Indicate One Primary Diagnosis:
 E78.0 Pure Hypercholesterolemia (HeFH and HoFH)
 E78.2 Mixed Hyperlipidemia
 E78.5 Other and Unspecified Hyperlipidemia
 Other: _____

121. Acute Myocardial Infarction
 125.2 Old Myocardial Infarction
 125. Other Forms of Chronic Ischemic Heart Disease
 125.10 ASCVD, Unspecified
 165. Occlusion and Stenosis of Pre cerebral Arteries
 Other: _____

16. Occlusion of Cerebral Arteries (CVA)
 G45. Transient Cerebral Ischemia (TA)
 I67. Other and Ill-Defined Cerebrovascular Disease
 169. History of Stroke with Residuals
 170. Atherosclerosis
 173.9 Peripheral Vascular Disease, Unspecified

PRESCRIPTION INFORMATION

MEDICATION	DOSE/STRENGTH	SIG	QTY.	REFILLS
BRILIN [®]	60 mg tablet 90 mg tablet	Initiate treatment with 180 mg on loading dose following a NACSE vent. Continue treatment with 90 mg tid until the first year after a NACSE vent. After one year administer 60 mg twice daily. Use BRILIN [®] with a daily maintenance dose of aspirin 75-100 mg.		
CRESTOR [®]	mg tablets	Take 1 tablet by mouth with or without food daily.		
EFFIENT [®]	5 mg tablet 10 mg tablet	Initial treatment single 60-mg on loading dose. Continue at 10 mg once daily with or without food. Consider 5 mg once daily for patients <60 kg.		
ENTRESTO [®]	24 mg/26 mg tablet 49 mg/51 mg tablet 97 mg/103 mg tablet	1 tablet twice daily		
JARDIANCE [®]	10 mg tablet 25 mg tablet	Take once daily in the morning with or without food	30 day supply	
LIPITOR [®]	mg tablets	Take 1 tablet by mouth daily.		
LIVALO [®]	1 mg tablet 2 mg tablet 4 mg tablet	Starting dose 2 mg; may be increased to 4 mg per day. Moderate to severe renal impairment; starting dose of 1 mg once daily and maximum of 2 mg once daily.		
IOVAZA [®]	1 gram capsule	Four (4) capsules once daily Two (2) capsules twice per day		
PRADAXA [®]	75 mg capsule 110 mg capsule 150 mg capsule	Non-valvular Atrial Fibrillation: CrCl >30 mL/min: 150 mg orally, twice daily CrCl 15-30 mL/min: 75 mg orally, twice daily Treatment of DVT and PE: CrCl >30 mL/min: 150 mg orally, twice daily after 5-10 days of parenteral anticoagulation Reduction in the Risk of Recurrence of DVT and PE: CrCl >30 mL/min: 150 mg orally, twice daily after previous treatment Prophylaxis of DVT and PE Following Hip Replacement Surgery: CrCl >30 mL/min: 110 mg orally first day, then 220 mg once daily		
PRALUENT [®]	Pre-filled Pens	Inject 75 mg SC every 2 weeks (quantity: 2). Inject 150 mg SC every 2 weeks (quantity: 2).		
REPATHA [®]	Pre-filled Pens Pre-filled SureClick Autoinjector	Option 1: Inject 140 mg SC in the abdomen, thigh, or upper arm every 2 weeks (quantity 2). Option 2 (recommended for HOFH): Inject 420 mg (3 syringes) SC in the abdomen, thigh, or upper arm once monthly. Administer 3 consecutive injections within 30 minutes (quantity 3).		
ZETA [®]	10 mg tablet	One tablet daily with or without food		

Date Medication Needed: _____ Deliver To: Patient Home MD Office
 Prescriber Signature: (Please sign and date below)
 Your signature authorizes Cedar Pharmacy to act on your behalf to obtain prior authorization for the prescribed medications. We will also pursue available copay and financial assistance on behalf of your patients.

Substitution Permissible _____ Date _____ Dispense as written "DAW" _____ Date _____

IMPORTANT NOTICE: This fax is intended to be delivered only to the named addressee and contains confidential information that may be protected health information under federal and state laws. If you are not the intended recipient, do not disseminate, distribute, or copy this fax. Please notify the sender immediately if you have received this document in error and then destroy this document immediately.

